BRAIN RESEARCH

VOL. 743 NOS. 1,2 **CONTENTS** **16 DECEMBER 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Voltage-dependent potassium currents of sympathetic preganglionic neurons in neonatal rat spinal cord thin slices
T. Miyazaki, N.J. Dun, H. Kobayashi and T. Tosaka (Japan, USA) 1

Increased proliferation of precursor cells in the adult rat brain after targeted lesioning
D.E. Weinstein, P. Burrola and T.J. Kilpatrick (USA, Australia) 11

Attenuation of nociceptive responses by ACEA-1021, a competitive NMDA receptor/glycine site antagonist, in the mice
K. Lutfy and E. Weber (USA) 17

Short latency, non-reciprocal group I inhibition is reduced during the stance phase of walking in humans
M.J. Stephens and J.F. Yang (Canada) 24

Vasopressin receptors in the mouse *(Mus musculus)* brain: sex-related expression in the medial preoptic area and hypothalamus
M. Dubois-Dauphin, C. Barberis and F. De Bilbao (Switzerland, France) 32

The depolarisation-induced release of [^{125}I]BDNF from brain tissue
A. Androutsellis-Theotokis, W.J. McCormack, H.F. Bradford, G.M. Stern and F.B. Pliego-Rivero (UK) 40

Antidiuretic action of tachykinin NK-3 receptor in the rat paraventricular nucleus
T. Eguchi, Y. Takano, T. Hatae, R. Saito, Yasuhisa Nakayama, Y. Shigeyoshi, H. Okamura, J.E. Krause and H.-o. Kamiya (Japan, USA) 49

Postnatal retinal ganglion cells in vitro: protection against reactive oxygen species (ROS)-induced axonal degeneration by cocultured astrocytes
R. Lucius and J. Sievers (Germany) 56

Effects of generalized convulsive seizures on corticotropin-releasing factor neuronal systems
D. Piekut, B. Phipps, S. Pretel and C. Applegate (USA) 63

Role of nitric oxide in histamine-induced increases in permeability of the blood–brain barrier
W.G. Mayhan (USA) 70

Behavioral and neuroendocrine reactivity to stress in the WKHA/WKY inbred rat strains: a multifactorial and genetic analysis
H. Courvoisier, M.-P. Moisan, A. Sarrieau, E.D. Hendley and P. Mormède (France, USA) 77

Descending modulation from the region of the locus coeruleus on nociceptive sensitivity in a rat model of inflammatory hyperalgesia
M. Tsuruoka and W.D. Willis (USA) 86

Thyrotropin-releasing hormone gene expression in the human hypothalamus
S.E.F. Guldenaar, B. Veldkamp, O. Bakker, W.M. Wiersinga, D.F. Swaab and E. Fliers (The Netherlands) 93

Neuropeptide changes persist in spinal cord despite resolving hyperalgesia in a rat model of mononeuropathy
R. Munglani, S.M. Harrison, G.D. Smith, C. Bountra, P.J. Birch, P.J. Elliot and S.P. Hunt (UK) 102

In vitro hypoxia of cortical and hippocampal CA1 neurons: glutamate, nitric oxide, and platelet activating factor participate in the mechanism of selective neural death in CA1 neurons
T. Ohmori, Y. Hirashima, M. Kurimoto, S. Endo and A. Takaku (Japan) 109

Electrical stimulation of the cingulum bundle and surrounding cortical tissue reduces formalin-test pain in the rat
P.N. Fuchs, M. Balinsky and R. Melzack (Canada) 116

Synergistic interaction between an adenosine antagonist and a D_1 dopamine agonist on rotational behavior and striatal c-Fos induction in 6-hydroxydopamine-lesioned rats
A.E. Pollack and J.S. Fink (USA) 124

Evidence for membrane remodeling in ipsilateral thalamus and amygdala following left amygdala-kindled seizures in awake rats
T. Arai, C.R. Jones, S.I. Rapoport and S.R.B. Weiss (Japan, USA) 131

Distribution of the organellar Ca^{2+} transport ATPase SERCA2 isoforms in the cat brain
F. Baba-Aïssa, L. Raeymaekers, F. Wuytack, C. De Greef, L. Missiaen and R. Casteels (Belgium) 141

Presumptive presynaptic nicotinic acetylcholine receptors in the chick tectum: effects of lesions of the lateral spiriform nucleus
A.S. Torrão, J.M. Lindstrom and L.R.G. Britto (Brazil, USA) 154

Early auditory filial learning in degus (*Octodon degus*): behavioral and autoradiographic studies
G. Poeggel and K. Braun (Germany) 162

Putative excitatory amino acid projections to the suprachiasmatic nucleus in the rat
M.M. Moga and R.Y. Moore (USA) 171

(contents continued on p. 369)

0006-8993(19961216)743:1/2;1-N

BRAIN RESEARCH

VOL. 743 NOS. 1,2 **CONTENTS** **16 DECEMBER 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Voltage-dependent potassium currents of sympathetic preganglionic neurons in neonatal rat spinal cord thin slices
T. Miyazaki, N.J. Dun, H. Kobayashi and T. Tosaka (Japan, USA) 1

Increased proliferation of precursor cells in the adult rat brain after targeted lesioning
D.E. Weinstein, P. Burrola and T.J. Kilpatrick (USA, Australia) 11

Attenuation of nociceptive responses by ACEA-1021, a competitive NMDA receptor/glycine site antagonist, in the mice
K. Lutfy and E. Weber (USA) 17

Short latency, non-reciprocal group I inhibition is reduced during the stance phase of walking in humans
M.J. Stephens and J.F. Yang (Canada) 24

Vasopressin receptors in the mouse *(Mus musculus)* brain: sex-related expression in the medial preoptic area and hypothalamus
M. Dubois-Dauphin, C. Barberis and F. De Bilbao (Switzerland, France) 32

The depolarisation-induced release of [^{125}I]BDNF from brain tissue
A. Androutsellis-Theotokis, W.J. McCormack, H.F. Bradford, G.M. Stern and F.B. Pliego-Rivero (UK) 40

Antidiuretic action of tachykinin NK-3 receptor in the rat paraventricular nucleus
T. Eguchi, Y. Takano, T. Hatae, R. Saito, Yasuhisa Nakayama, Y. Shigeyoshi, H. Okamura, J.E. Krause and H.-o. Kamiya (Japan, USA) 49

Postnatal retinal ganglion cells in vitro: protection against reactive oxygen species (ROS)-induced axonal degeneration by cocultured astrocytes
R. Lucius and J. Sievers (Germany) 56

Effects of generalized convulsive seizures on corticotropin-releasing factor neuronal systems
D. Piekut, B. Phipps, S. Pretel and C. Applegate (USA) 63

Role of nitric oxide in histamine-induced increases in permeability of the blood–brain barrier
W.G. Mayhan (USA) 70

Behavioral and neuroendocrine reactivity to stress in the WKHA/WKY inbred rat strains: a multifactorial and genetic analysis
H. Courvoisier, M.-P. Moisan, A. Sarrieau, E.D. Hendley and P. Mormède (France, USA) 77

Descending modulation from the region of the locus coeruleus on nociceptive sensitivity in a rat model of inflammatory hyperalgesia
M. Tsuruoka and W.D. Willis (USA) 86

Thyrotropin-releasing hormone gene expression in the human hypothalamus
S.E.F. Guldenaar, B. Veldkamp, O. Bakker, W.M. Wiersinga, D.F. Swaab and E. Fliers (The Netherlands) 93

Neuropeptide changes persist in spinal cord despite resolving hyperalgesia in a rat model of mononeuropathy
R. Munglani, S.M. Harrison, G.D. Smith, C. Bountra, P.J. Birch, P.J. Elliot and S.P. Hunt (UK) 102

In vitro hypoxia of cortical and hippocampal CA1 neurons: glutamate, nitric oxide, and platelet activating factor participate in the mechanism of selective neural death in CA1 neurons
T. Ohmori, Y. Hirashima, M. Kurimoto, S. Endo and A. Takaku (Japan) 109

Electrical stimulation of the cingulum bundle and surrounding cortical tissue reduces formalin-test pain in the rat
P.N. Fuchs, M. Balinsky and R. Melzack (Canada) 116

Synergistic interaction between an adenosine antagonist and a D_1 dopamine agonist on rotational behavior and striatal c-Fos induction in 6-hydroxydopamine-lesioned rats
A.E. Pollack and J.S. Fink (USA) 124

Evidence for membrane remodeling in ipsilateral thalamus and amygdala following left amygdala-kindled seizures in awake rats
T. Arai, C.R. Jones, S.I. Rapoport and S.R.B. Weiss (Japan, USA) 131

Distribution of the organellar Ca^{2+} transport ATPase SERCA2 isoforms in the cat brain
F. Baba-Aïssa, L. Raeymaekers, F. Wuytack, C. De Greef, L. Missiaen and R. Casteels (Belgium) 141

Presumptive presynaptic nicotinic acetylcholine receptors in the chick tectum: effects of lesions of the lateral spiriform nucleus
A.S. Torrão, J.M. Lindstrom and L.R.G. Britto (Brazil, USA) 154

Early auditory filial learning in degus (*Octodon degus*): behavioral and autoradiographic studies
G. Poeggel and K. Braun (Germany) 162

Putative excitatory amino acid projections to the suprachiasmatic nucleus in the rat
M.M. Moga and R.Y. Moore (USA) 171

(contents continued on p. 369)

0006-8993(19961216)743:1/2;1-N

(contents continued)

Brain penetration of the histamine H_3 receptor antagonists thioperamide and clobenpropit in rat and mouse, determined with ex vivo [^{125}I]-iodophenpropit binding
T. Mochizuki, F.P. Jansen, R. Leurs, A.D. Windhorst, A. Yamatodani, K. Maeyama and H. Timmerman (Japan, The Netherlands) 178
Opioid stimulation in the ventral tegmental area facilitates the onset of maternal behavior in rats
A.C. Thompson and M.B. Kristal (USA) 184
Muscarinic receptors mediate carbachol-induced phase shifts of circadian activity rhythms in Syrian hamsters
K.G. Bina and B. Rusak (Canada) 202
Effects of serotonin on induced epileptiform activity in CA1 pyramidal neurons of genetically epilepsy prone rats
D. Salgado-Commissariat and K.A. Alkadhi (USA) 212
Topographic organization of projection from the parabigeminal nucleus to the superior colliculus in the ferret revealed with fluorescent latex microspheres
Z.D. Jiang, A.J. King and D.R. Moore (UK) 217
Involvement of *N*-methyl-D-aspartate receptor in the delayed transneuronal regression of substantia nigra neurons in rats
K. Yamada, S. Goto, M. Yoshikawa, A. Okamura and Y. Ushio (Japan) 233
Serotonin depletion exacerbates changes in striatal gene expression following quinolinic acid injection
T.J. Cummings and P.D. Walker (USA) 240
Brain β-spectrin is a component of senile plaques in Alzheimer's disease
R.K. Sihag and A.M. Cataldo (USA) 249
Protection against hypoxic–ischemic damage with corticosterone and dexamethasone: inhibition of effect by a glucocorticoid antagonist, RU38486
U.I. Tuor and M.R. Del Bigio (Canada) 258
Development of an animal model for neuroleptic malignant syndrome: heat-exposed rabbits with haloperidol and atropine administration exhibit increased muscle activity, hyperthermia, and high serum creatine phosphokinase level
H. Tanii, N. Taniguchi, H. Niigawa, T. Hosono, Y. Ikura, S. Sakamoto, T. Kudo, T. Nishimura and M. Takeda (Japan) 263
Intraneuronal aluminum potentiates iron-induced oxidative stress in cultured rat hippocampal neurons
C.X. Xie, M.P. Mattson, M.A. Lovell and R.A. Yokel (USA) 271
Differential neurotoxicity induced by L-DOPA and dopamine in cultured striatal neurons
N.-n. Cheng, T. Maeda, T. Kume, S. Kaneko, H. Kochiyama, A. Akaike, Y. Goshima and Y. Misu (Japan) 278
Noradrenaline modifies the spontaneous spiking activity of red nucleus neurons in the rat by activation of α_2- and β- adrenoceptors
L. Ciranna, F. Licata, G. Li Volsi and F. Santangelo (Italy) 284
Vestibular afferents to the dorsal vagal complex: substrate for vestibular-autonomic interactions in the rat
D.A. Ruggiero, E.P. Mtui, K. Otake and M. Anwar (USA, Tanzania, Japan) 294
Properties of 3,4-diaminopyridine-evoked dopamine and acetylcholine release in rabbit caudate nucleus slices: involvement of facilitatory adenosine A_2 receptors or nitric oxide?
V. Ries, G. Hertting and R. Jackisch (Germany) 303

Short communications

Localization of the Rev-ErbA orphan receptors in the brain
T. Kainu, E. Enmark, J.-Å. Gustafsson and M. Pelto-Huikko (Finland, Sweden) 315
Identification of a long huntingtin mRNA transcript in mouse brain
E. Casanova, A. Alonso-Llamazares, D. Zamanillo, C. Garate, P. Calvo and M.A. Chinchetru (Spain) 320
Selective localisation of P450 enzymes and NADPH-P450 oxidoreductase in rat basal ganglia using anti-peptide antisera
A.G. Riedl, P.M. Watts, R.J. Edwards, A.R. Boobis, P. Jenner and C.D. Marsden (UK) 324
Systemically administered cycloheximide reduces inhibition in rat neocortical slice preparation
I. Buchkremer-Ratzmann and O.W. Witte (Germany) 329
Time-related effects of stress on cholinergic sensitivity
D. Pullia, F.R. D'Amato, A. Mele, A. Oliverio, A. Zocchi and F. Pavone (Italy, USA) 333
Differential cellular distribution of glutathione – an endogenous antioxidant – in the guinea pig inner ear
S.-i. Usami, O.P. Hjelle and O.P. Ottersen (Japan, Norway) 337
μ-Opioid receptor activation enhances DNA synthesis in immature oligodendrocytes
P.E. Knapp and K.F. Hauser (USA) 341
Cellular distribution of the NMDA receptor NR2A/2B subunits in the rat striatum
Q. Chen and A. Reiner (USA) 346
Localization of nitric oxide synthase in the goldfish retina
L. Villani and T. Guarnieri (Italy) 353
R(+)-8-OH-DPAT, a 5-HT_{1A} receptor agonist, inhibits amphetamine-induced serotonin and dopamine release in rat medial prefrontal cortex
T. Kuroki, J. Ichikawa, J. Dai and H.Y. Meltzer (USA) 357
Effect of systemic zinc administration on delayed neuronal death in the gerbil hippocampus
K. Matsushita, K. Kitagawa, T. Matsuyama, T. Ohtsuki, A. Taguchi, K. Mandai, T. Mabuchi, Y. Yagita, T. Yanagihara and M. Matsumoto (Japan) 362

Author Index 366